# AUTHOR INDEX

Abbattista, F., 203
Ahn, H. J., 253
Assefi, M., 269
Auffermann, G., 243

Barbouth, N., 269
Benedict, U., L19, L23
Berger, G., 109
Berthier, Y., 269
Brauers, T., 221
Braun, H. F., 169
Bronger, W., 243
Buschow, K. H. J., 195, 349, L13

Chabot, B., 169
Chandrasekharaiah, M. S., 329
Cheetham, A. K., 123
Cirafici, S., 311
Clark, N. J., 145
Coey, J. M. D., 295
Contardi, V., L31

Dabos, S., L19, L23
De Mooij, D. B., 195, 349, L13
Debuigne, J., 19
Denissen, C. J. M., 195, L13
Deussen, M., 221
Dwight, K., 155

Elschner, B., L5
Erassme, J., 221

Ferro, R., L31
Flanagan, T. B., 281
Fornasini, M. L., 289
Franzen, H. F., L27
Fruchart, D., 187
Fugiel, B., 237

Gable, D. R., 341
Gazzano, M., 203
Gerward, L., L19
Gingerich, K. A., 329
Gueramian, M., 169
Guillou, A., 19

Halle, G., 263
L'Heritier, Ph., 187
Hevesi, I., 105
Hibble, S. J., 123
Hu, B.-P., 295

Ishida, K., 135

Jungblut, B., 1

Kasprzyk, A., 237
Kemmler-Sack, S., L5
Kershaw, R., 155
Kiemel, R., L5
Kneissel, H., L5
Köhler, J., 123
Kuentzler, R., 163

Lang, Ch., L1
Lawson, A. C., 177
Lee, J.-Y., 253
Lee, S. M., 253
v. Löhneysen, H., 221
Lösch, S., L5
Lueken, H., 221
Lundgren, L., 91
Lundström, T., 91
Luo, H., L23
Luo, W., 281

Maier-Rosenkranz, J., L5
Marazza, R., L31
Mazza, D., 203
Mazzone, D., L31
Merlo, F., 289
Moze, O., 187
Müller, P., 243
Müller-Buschbaum, Hk., 75, 85, 263, L1
Mullica, D. F., 341
Mumm, H.-C., 85

Nagarajan, K., 319
Nánai, L., 105
Nishizawa, T., 135
Nomura, T., 135

Ohtani, H., 135

Palenzona, A., 311
Pareti, L., 187

Richter, K.-H., 301
Rohweder, U., 75

Sappenfield, E. L., 341
Sauer, C., 221
Schäfer, W., L5
Schellenberg, L., 169
Schröder, A., 221
Shubin, Yu. V., 213
Shumiya, T., 135
Sicking, G., 1
Simon, A., 123
Sommer, F., 319
Spirlet, J. C., L19, L23
Staun Olsen, J., L19
Stickney, M. J., 329

Tavadze, F. N., 91
Tsagareishvili, G. V., 91
Tsagareishvili, O. A., 91
Tsiskarisvili, G. P., 91

Vajtai, R., 105
Vallino, M., 203
Vesnin, Yu. L., 213

Waterstrat, R. M., 163
Weiss, A., 109, 301
Williams, A., 177
Wire, M. S., 177
Wischert, W., L5
Wohlleben, D., 31, 55
Wold, A., 155
Woznitza, J., 221
Wu, E., 145

Yao, X., L27
Yaouanc, A., 187
Yvon, K., 169

Zanicchi, G., L31
Zhang, Y. C., 155

© Elsevier Sequoia/Printed in The Netherlands

# SUBJECT INDEX

Aluminium
hydrogen absorption by $M_5X_3$ phase Zr–Al compounds, 145
influence of a weak magnetic field on the high temperature magnetic susceptibility of $Y(Fe_{0.7}Al_{0.3})_2$ alloy, 237
Antimony
phase diagram of the Ga–As–Sb system, 135
Arsenic
phase diagram of the Ga–As–Sb system, 135
Auger Electron Spectroscopy
Fast Fourier transform as universal tool for processing Auger electron spectroscopy data, 1

Barium
mittlere Oxidationsstufe des Kupfers im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$, L5
Notiz über Synthese und Kristallstruktur von $BaPtEu_2O_5$ und $BaNiEu_2O_5$, L1
the crystal structure of $Ca_2Cu_2Ga$, CaCuGa, $SrCu_2Ga$ and $BaCu_2Ga$, 289
Boron
effects of hydrogen absorption on the 3d and 4f anisotropies in $RE_2Fe_{14}B$ (RE ≡ Y, Nd, Ho, Tm), 187

Calcium
the crystal structure of $Ca_2Cu_2Ga$, CaCuGa, $SrCu_2Ga$ and $BaCu_2Ga$, 289
Calorimetric
calorimetric investigations of Ce–Mg liquid alloys, 319
Carbon
formation and magnetic properties of the compounds $R_2Fe_{14}C$, 349
magnetic properties and $^{57}Fe$ Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$, L13
Cerium
$\alpha$-$\gamma$ transformation in a $Ce_{0.9}Th_{0.1}$ alloy, 177
calorimetric investigations of Ce–Mg liquid alloys, 319
Chromium
preparation and properties of the system $Cr_{2-x}Rh_xO_3$ ($2 \geqslant x \geqslant 0$), 155
Chromium solubility
structure refinement and chromium solubility for $Zr_2S$, L27
Copper
mittlere Oxidationsstufe des Kupfers im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$, L5
the crystal structure of $Ca_2Cu_2Ga$, CaCuGa, $SrCu_2Ga$ and $BaCu_2Ga$, 289
zur Kristallstruktur von $Cu_2WO_4$, 85
Curie Temperature
effect of hydrogen on the Curie temperature of $Nd_2(Fe_{15}M_2)$; M ≡ Al, Si, Co, 295

EPR
static magnetic and EPR studies of iron in the $\beta$-rhombohedral boron structure, 91
Europium
magnetism of europium clusters in the intermetallic compounds $Eu_xSr_{1-x}Mg_{5.2}$ and $(Eu_xSr_{1-x})_3Mg_{13}$, 221
Notiz über Synthese und Kristallstruktur von $BaPtEu_2O_5$ und $BaNiEu_2O_5$, L1

Fast Fourier Transform
fast Fourier transform as universal tool for processing Auger electron spectroscopy data, 1

Gallium
phase diagram of the Ga–As–Sb system, 135

© Elsevier Sequoia/Printed in The Netherlands

the crystal structure of $Ca_2Cu_2Ga$, CaCuGa, $SrCu_2Ga$ and $BaCu_2Ga$, 289
Gold
the equilibrium decomposition of Au–Pt solid solutions, 213

Heavy-fermion compounds
compression of the heavy-fermion compound $URu_2Si_2$ to 50 GPa, L23
Heusler-phase
ternary intermetallic phases with Heusler-phase-type structure in the system Ag–Mg–RE (RE ≡ La, Ce, Pr, Nd, Sm), 109
Hydrogen
$^1$H-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leqslant x \leqslant 1$, $0 < y \leqslant 0.9$: Magnetic susceptibility and Knight shift, 301
effect of hydrogen on the Curie temperature of $Nd_2(Fe_{15}M_2)$; M ≡ Al, Si, Co, 295
intrinsic degradation of FeTi by thermally induced hydrogen absorption–desorption cycling, 253
komplexe Platinhydride $A_2PtH_4$ mit A ≡ Na, K, Rb oder Cs, 243
Hydrogen absorption
effects of hydrogen absorption on the 3d and 4f anisotropies in $RE_2Fe_{14}B$ (RE ≡ Y, Nd, Ho, Tm), 187
hydrogen absorption by M5X3 phase Zr-Al compounds, 145

Indium
synthesis, spectral analyses and X-ray diffraction studies of 1:1 (Sc, In)-$(OH)_3$, 341
Intermetallics
magnetism of europium clusters in the intermetallic compounds $Eu_xSr_{1-x}Mg_{5.2}$ and $(Eu_xSr_{1-x})_3Mg_{13}$, 221
stored energy resulting from the formation and decomposition of the hydride phase in the intermetallic compound: $LaNi_5$, 281
ternary intermetallic phases with Heusler-phase-type structure in the system Ag–Mg–RE (RE ≡ La, Ce, Pr, Nd, Sm), 109
Iron
a new structure in the La–Li–Fe–O system, 203
effect of hydrogen on the Curie temperature of $Nd_2(Fe_{15}M_2)$; M ≡ Al, Si, Co, 295
effects of hydrogen absorption on the 3d and 4f anisotropies in $RE_2Fe_{14}B$ (RE ≡ Y, Nd, Ho, Tm), 187
formation and magnetic properties of the compounds $R_2Fe_{14}C$, 349
influence of a weak magnetic field on the high temperature magnetic susceptibility of $Y(Fe_{0.7}Al_{0.3})_2$ alloy, 237
intrinsic degradation of FeTi by thermally induced hydrogen absorption–desorption cycling, 253
magnetic properties and $^{57}$Fe Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$, L13
spin reorientation in $Nd_2Fe_{14}C$, 195
static magnetic and EPR studies of iron in the $\beta$-rhombohedral boron structure, 91

Knight shift
$^1$H-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leqslant x \leqslant 1$, $0 < y \leqslant 0.9$: Magnetic susceptibility and Knight shift, 301
Knudsen effusion cell
twin-chamber Knudsen effusion cell source mass spectrometry: Vaporization of palladium, 329

Lanthanide
on some lanthanide and pseudo-lanthanide magnesium alloys, L31
Lanthanum
a new structure in the La–Li–Fe–O system, 203
mittlere Oxidationsstufe des Kupfers im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$, L5
stored energy resulting from the formation and decomposition of the hydride phase in the intermetallic compound: $LaNi_5$, 281
Laves phase
compression of the hexagonal Laves phase $UNi_2$ to 41 GPa, L19

Lithium
a new structure in the La–Li–Fe–O system, 203

Magnesium
calorimetric investigations of Ce–Mg liquid alloys, 319
magnetism of europium clusters in the intermetallic compounds $Eu_xSr_{1-x}Mg_{5.2}$ and $(Eu_xSr_{1-x})_3Mg_{13}$, 221
on some lanthanide and pseudo-lanthanide magnesium alloys, L31
ternary intermetallic phases with Heusler-phase-type structure in the system Ag–Mg–RE (RE ≡ La, Ce, Pr, Nd, Sm), 109
Untersuchungen an $Zn_{1-x}M_xTa_2O_6$ (M ≡ Mg und Ni) mit einer Verfeinerung der Kristallstruktur von $MgTa_2O_6$, 263
Magnetic
static magnetic and EPR studies of iron in the β-rhombohedral boron structure, 91
Magnetic properties
magnetic properties and $^{57}Fe$ Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$, L13
Magnetic susceptibility
$^1H$-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leqslant x \leqslant 1$, $0 < y \leqslant 0.9$: Magnetic susceptibility and Knight shift, 301
influence of a weak magnetic field on the high temperature magnetic susceptibility of $Y(Fe_{0.7}Al_{0.3})_2$ alloy, 237
Manganese
magnetic properties and $^{57}Fe$ Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$, L13
stabilization of α-Mn structures in new ternary phases, 163
zur Kristallchemie von $Mn_3ZnNb_2O_9$ und $MnZn_2Nb_2O_8$, 75
Mass spectrometry
twin-chamber Knudsen effusion cell source mass spectrometry: vaporization of palladium, 329
Microhardness
structural investigations and microhardness of metal oxide layer grown by $CO_2$ laser light, 105
Mössbauer effect
magnetic properties and $^{57}Fe$ Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$, L13

Neodymium
effect of hydrogen on the Curie temperature of $Nd_2(Fe_{15}M_2)$; M ≡ Al, Si, Co, 295
magnetic properties and $^{57}Fe$ Mössbauer effect in $Nd_2Fe_{14-x}Mn_xC$, L13
spin reorientation in $Nd_2Fe_{14}C$, 195
Nickel
compression of the hexagonal Laves phase $UNi_2$ to 41 GPa, L19
Notiz über Synthese und Kristallstruktur von $BaPtEu_2O_5$ und $BaNiEu_2O_5$, L1
stored energy resulting from the formation and decomposition of the hydride phase in the intermetallic compound: $LaNi_5$, 281
the equilibrium diagram of the Th–Ni system, 311
Untersuchungen an $Zn_{1-x}M_xTa_2O_6$ (M ≡ Mg und Ni) mit einer Verfeinerung der Kristallstruktur von $MgTa_2O_6$, 263
Niobium
$^1H$-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leqslant x \leqslant 1$, $0 < y \leqslant 0.9$: Magnetic susceptibility and Knight shift, 301
a single-crystal and synchrotron powder X-ray refinement of the structure of $SrNb_8O_{14}$, a new oxoniobate containing $Nb_6$ octahedra, 123
zur Kristallchemie von $Mn_3ZnNb_2O_9$ und $MnZn_2Nb_2O_8$, 75
NMR
$^1H$-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leqslant x \leqslant 1$, $0 < y \leqslant 0.9$: Magnetic susceptibility and Knight shift, 301

Osmium
crystal structures of orthorhombic $Y_3Os_4Si_{12}$ and monoclinic $Y_5Os_4Si_{14}$ and $Y_9Os_4Si_{20}$, 169
Oxide layer
structural investigations and microhardness of metal oxide layer grown by $CO_2$ laser light, 105
Oxygen
mittlere Oxidationsstufe des Kupfers

im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$, L5

Oxynitration
oxynitruration du titane sous basses pressions d'air sec à hautes températures, 19

Palladium
étude thermodynamique de la solubilité et de la diffusion du soufre dans le palladium, 269
twin-chamber Knudsen effusion cell source mass spectrometry: vaporization of palladium, 329

Phase diagram
phase diagram of the Ga–As–Sb system, 135

Platinum
komplexe Platinhydride $A_2PtH_4$ mit A ≡ Na, K, Rb oder Cs, 243
Notiz über Synthese und Kristallstruktur von $BaPtEu_2O_5$ und $BaNiEu_2O_5$, L1
the equilibrium decomposition of Au–Pt solid solutions, 213

Pseudolanthanide
on some lanthanide and pseudolanthanide magnesium alloys, L31

Quantum size effect
superconductivity by quantum size effect
II. Ground state properties of a wire with mesoscopic subdivisions, 31
Superconductivity by quantum size effect
III. The role of contacts and defect scattering, 55

Rare earths
formation and magnetic properties of the compounds $R_2Fe_{14}C$, 349
effects of hydrogen absorption on the 3d and 4f anisotropies in $RE_2Fe_{14}B$ (RE ≡ Y, Nd, Ho, Tm), 187

Rhodium
preparation and properties of the system $Cr_{2-x}Rh_xO_3$ ($2 \geqslant x \geqslant 0$), 155

Ruthenium
compression of the heavy-fermion compound $URu_2Si_2$ to 50 GPa, L23

Scandium
synthesis, spectral analyses and X-ray diffraction studies of 1:1 (Sc, In)-$(OH)_3$, 341

Silicon
compression of the heavy-fermion compound $URu_2Si_2$ to 50 GPa, L23
crystal structures of orthorhombic $Y_3Os_4Si_{12}$ and monoclinic $Y_5Os_4Si_{14}$ and $Y_9Os_4Si_{20}$, 169

Silver
ternary intermetallic phases with Heusler-phase-type structure in the system Ag–Mg–RE (RE ≡ La, Ce, Pr, Nd, Sm), 109

Single crystals
a single-crystal and synchrotron powder X-ray refinement of the structure of $SrNb_8O_{14}$, a new oxoniobate containing $Nb_6$ octahedra, 123

Spectral analyses
synthesis, spectral analyses and X-ray diffraction studies of 1:1 (Sc, In)-$(OH)_3$, 341

Spin reorientation
spin reorientation in $Nd_2Fe_{14}C$, 195

Strontium
a single-crystal and synchrotron powder X-ray refinement of the structure of $SrNb_8O_{14}$, a new oxoniobate containing $Nb_6$ octahedra, 123
magnetism of europium clusters in the intermetallic compounds $Eu_xSr_{1-x}Mg_{5.2}$ and $(Eu_xSr_{1-x})_3Mg_{13}$, 221
mittlere Oxidationsstufe des Kupfers im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$, L5
the crystal structure of $Ca_2Cu_2Ga$, CaCuGa, $SrCu_2Ga$ and $BaCu_2Ga$, 289

Sulphur
structure refinement and chromium solubility for $Zr_2S$, L27

Superconductivity
superconductivity by quantum size effect
II. Ground state properties of a wire with mesoscopic subdivisions, 31
superconductivity by quantum size effect

III. The role of contacts and defect scattering, 55
Synchrotron
a single-crystal and synchrotron powder X-ray refinement of the structure of $SrNb_8O_{14}$, a new oxoniobate containing $Nb_6$ octahedra, 123
Synthesis
synthesis, spectral analyses and X-ray diffraction studies of 1:1 (Sc, In)-$(OH)_3$, 341

Tantalum
$^1$H-NMR studies of the system $Ta_{1-x}Nb_xH_y$, $0 \leqslant x \leqslant 1$, $0 < y \leqslant 0.9$: Magnetic susceptibility and Knight shift, 301
Untersuchungen an $Zn_{1-x}M_xTa_2O_6$ (M ≡ Mg und Ni) mit einer Verfeinerung der Kristallstruktur von $MgTa_2O_6$, 263
Thorium
$\alpha$-$\gamma$ transformation in a $Ce_{0.9}Th_{0.1}$ alloy, 177
the equilibrium diagram of the Th–Ni system, 311
Titanium
intrinsic degradation of FeTi by thermally induced hydrogen absorption–desorption cycling, 253
oxynitruration du titane sous basses pressions d'air sec à hautes temperatures, 19
Tungsten
zur Kristallstruktur von $Cu_2WO_4$, 85

Uranium
compression of the hexagonal Laves phase $UNi_2$ to 41 GPa, L19
compression of the heavy-fermion compound $URu_2Si_2$ to 50 GPa, L23

X-ray
a single-crystal and synchrotron powder X-ray refinement of the structure of $SrNb_8O_{14}$, a new oxoniobate containing $Nb_6$ octahedra, 123
X-ray diffraction
synthesis, spectral analyses and X-ray diffraction studies of 1:1 (Sc, In)-$(OH)_3$, 341

Yttrium
crystal structures of orthorhombic $Y_3Os_4Si_{12}$ and monoclinic $Y_5Os_4Si_{14}$ and $Y_9Os_4Si_{20}$, 169
influence of a weak magnetic field on the high temperature magnetic susceptibility of $Y(Fe_{0.7}Al_{0.3})_2$ alloy, 237
mittlere Oxidationsstufe des Kupfers im Bereich zwischen +1 und +3 in den Systemen $YBa_2Cu_3O_{7-z}$ und $La_{2-x}Sr_xCuO_{4-z}$, L5

Zinc
Untersuchungen an $Zn_{1-x}M_xTa_2O_6$ (M ≡ Mg und Ni) mit einer Verfeinerung der Kristallstruktur von $MgTa_2O_6$, 263
zur Kristallchemie von $Mn_3ZnNb_2O_9$ und $MnZn_2Nb_2O_8$, 75
Zirconium
hydrogen absorption by $M_5X_3$ phase Zr–Al compounds, 145
structure refinement and chromium solubility for $Zr_2S$, L27